

- Health Organization classification of tumours, Lyon, France: IARC Press;2004. p. 9-88.
5. Dhillon J, Tannir NM, Matin SF, et al. Thyroid-like follicular carcinoma of the kidney with metastases to the lungs and retroperitoneal lymph nodes. *Human Pathol* 2011;42:146-150.
 6. Bouchard M, Souabni A, Mandler M, et al. Nephric lineage specification by Pax2 and Pax8. *Genes Dev* 2002;16:2958-2970.
 7. Abe K, Hasegawa T, Onodera S, et al. Renal metastasis of thyroid carcinoma. *Int J Urol* 2002;9:656-658.
 8. Garcia-Sanchis L, Lopez-Aznar D, Oltra A, et al. Metastatic follicular thyroid carcinoma of the kidney: a case report. *Clin Nucl Med* 1999;24:48-50.
 9. Mazal PR, Stichenwirth M, Koller A, et al. Expression of aquaporins and PAX-2 compared to CD10 and cytokeratin 7 in renal neoplasms: a tissue microarray study. *Mod Pathol* 2005;18(4):535-540.
 10. Memeo L, Jhang J, Assaad AM, et al. Immunohistochemical analysis for cytokeratin 7, KIT, and PAX2: value in the differential diagnosis of chromophobe cell carcinoma. *Am J Clin Pathol* 2007;127(2):225-229.
 11. Gokden N, Gokden M, Phan DC, et al. The utility of PAX-2 in distinguishing metastatic clear cell renal cell carcinoma from its morphologic mimics: an immunohistochemical study with comparison to renal cell carcinoma marker. *Am J Surg Pathol* 2008;32(10):1462-1467.
 12. Fromont G, Barcat L, Gaudin J, Irani J. Revisiting the immunophenotype of nephrogenic adenoma. *Am J Surg Pathol* 2009;33(11):1654-1658.
 13. Tung CS, Mok SC, Tsang YT, et al. PAX2 expression in low malignant potential ovarian tumors and low-grade ovarian serous carcinomas. *Mod Pathol* 2009;22(9):1243-1250.
 14. Tong GX, Chiriboga L, Hamele-Bena D, et al. Expression of PAX2 in papillary serous carcinoma of the ovary: immunohistochemical evidence of fallopian tube or secondary Müllerian system origin? *Mod Pathol* 2007;20(8):856-863.
 15. Tacha D, Zhou D, Cheng L. Expression of PAX8 in normal and neoplastic tissues: a comprehensive immunohistochemical study. *Appl Immunohistochem Mol Morphol* 2011;19(4):293-299.
 16. Long KB, Srivastava A, Hirsch MS, et al. PAX8 Expression in well-differentiated pancreatic endocrine tumors: correlation with clinicopathologic features and comparison with gastrointestinal and pulmonary carcinoid tumors. *Am J Surg Pathol* 2010;34(5):723-729.
 17. Nadasdy T, Laszik Z, Blick KE, et al. Tubular atrophy in the end-stage kidney: a lectin and Immunohistochemical study. *Hum Pathol* 1994;25:22-28.
 18. Angell SK, Pruthi R, Freiha FS. Primary thyroid-like carcinoma of the kidney. *Urology* 1996;48:632-635.