

- lymphoma: detection by fluorescence in situ hybridization of a splenic touch preparation from a pediatric patient. *Pediatr Dev Pathol* 1999;2:478–83. 10.1007/s100249900152 [PubMed] [CrossRef] [Google Scholar]
7. Shetty S, Mansoor A, Roland B. Ring chromosome 7 with amplification of 7q sequences in a pediatric case of hepatosplenic T-cell lymphoma. *Cancer Genet Cytogenet* 2006;167:161–3. 10.1016/j.cancergencyto.2005.12.003 [PubMed] [CrossRef] [Google Scholar]
  8. Shi Y, Wang E. Hepatosplenic T-cell lymphoma: a clinicopathologic review with an emphasis on diagnostic differentiation from other T-cell/ natural killer-cell neoplasms. *Arch Pathol Lab Med* 2015;139:1173–80. 10.5858/arpa.2014-0079-RS [PubMed] [CrossRef] [Google Scholar]
  9. Nosari A, Oreste PL, Biondi A et al.. Hepatosplenic  $\gamma\delta$  T-cell lymphoma: a rare entity mimicking the hemophagocytic syndrome. *Am J Hematol* 1999;60:61–5. [PubMed] [Google Scholar]
  10. Cooke CB, Krenacs L, Stetler-Stevenson M et al.. Hepatosplenic T-cell lymphoma: a distinct clinicopathologic entity of cytotoxic gamma delta T-cell origin. *Blood* 1996;88:4265–74. [PubMed] [Google Scholar]
  11. Arps DP, Smith LB. Classic versus type II enteropathy-associated T-cell lymphoma: diagnostic considerations. *Arch Pathol Lab Med* 2013;137:1227–31. 10.5858/arpa.2013-0242-CR [PubMed] [CrossRef] [Google Scholar]
  12. Chen YH, Peterson L. Differential diagnosis of CD4-/CD8-  $\gamma\delta$  T-cell large granular lymphocytic leukemia and hepatosplenic T-cell lymphoma. *Am J Clin Pathol* 2012;137:496–7. 10.1309/AJCPCOPRE1HGD0FC [PubMed] [CrossRef] [Google Scholar]
  13. Benjamini O, Jain P, Konoplev SN et al.. CD4(-)/CD8(-) variant of T-cell large granular lymphocytic leukemia or hepatosplenic T-cell lymphoma: a clinicopathologic dilemma. *Clin Lymphoma Myeloma Leuk* 2013;13:610–13. 10.1016/j.clml.2013.04.010 [PMC free article] [PubMed] [CrossRef] [Google Scholar]
  14. M.H. Voss, M.A. Lunning, J.C. Maragulia, E.B. Papadopoulos, J. Goldberg, A.D. Zelenetz, et al. Intensive induction chemotherapy followed by early high-dose therapy and hematopoietic stem cell transplantation results in improved outcome for patients with hepatosplenic T-cell lymphoma: a single institution experience. *Clin Lymphoma Myeloma Leuk*, 13 (1) (2013), pp. 8-14